

APPENDIX – FIGURES




Figure 1. Schematic representation of the binary plasmid pPvchitΔ1200gus, used as vector for the reporter gene GUS under the control of part (~1200) of the bean chitinase promoter.



Figure 2 – Photograph of a tobacco flower, clearly showing the anthers.




Figure 3 – Counts of mononuclear cells A), neutrophils B), and eosinophils C), in alveolar lavage (BAL) of rats subjected to three consecutive instillations of pollen grains in the indicated concentrations and in pleural lavage of rats subjected to intrapleural injections of pollen grains in the same concentrations. □ and ■ represent, respectively, the average values of BAL and pleural controls. C), D), and F) represent, respectively, the counts of mononuclear cells, neutrophils and eosinophils of broncho-alveolar lavage of rats subjected to three consecutive instillations of WT or GM pollen grains in the indicated concentrations. Dashed lines represent the average values of the controls instilled with saline solution. Columns represent averages \pm E. P. M. and asterisks indicate statistically significant differences ($p < 0.05$).




Figure 4. Schematic representation of binary plasmid pCambia 1303, used as vector having the reporter genes GFP, GUS and of the selection markers for Kanamycin and hygromycin. Single restriction sites *Xba*I and *Nco*I and other single and double restriction sites are also indicated.




Figure 5. Schematic representation of the binary plasmid pCambia1303 without the CaMV 35S promoter region, as per the cleavage with *Xba*I and *Nco*I enzymes.




Figure 6. Schematic representation of the ProAtGRP67 region obtained by PCR and the fragment ProAtGRP17 generated by cleavage with *XbaI* and *NcoI* enzymes. In the latter the shorter arrow indicates the relative position of exon 1 and the intron.




Figure 7. Schematic representation of plasmid pProAtGRP17_GUSGFP, resulting from the cloning of the PCR product ProAtGRP67 cleaved with *XbaI* and *NcoI* in the plasmid pCambia1303 cleaved with the same enzymes. The 616 bp region corresponding to part of the AtGRP17 promoter region and the AtGRP17 gene ORF are indicated as ProAtGRP17. Reporter genes GUS and GFP are also indicated.




Figure 8 – 1% agarose gel containing the expected DNA fragments of the plasmids extracted from transformed *E. coli* XL1, obtained after cleavage with the indicated enzymes. 1, pCambiaProAtGRP17 *PvuII*; 2, pCambiaProAtGRP17 *BglII*; 3, pCambia *PvuII*; 4, pCambia *BglII*; 5, 1kb ladder marker.




Figure 9 – Floral structures of *A. thaliana* transformed with the plasmid pCambiaProAtGRP17GUSGFP. Panel A) shows the presence and activity of GUS on the late anthers' development, but not in the initial stages of development. Panel B) shows inflorescences of the same plant in which the activity of GUS can be seen in the anthers of immature flowers (*left*) and in the anthers and petals of the mature flower (*right*). Panel C) shows intense GUS activity on the tapetum and on the pollen grains. Panel D) shows a pollen grain with positive stain for GUS. All photographs were taken under an optical microscope.

Sequence Listing

Applicant Data:

(a) Name: UNIVERSIDADE FEDERAL DO RIO DE JANEIRO E FUNDAÇÃO
OSWALDO CRUZ (*FEDERAL UNIVERSITY OF RIO DE JANEIRO AND
OSWALDO CRUZ FOUNDATION*)

(b) Address: UFRJ – Universidade Federal do Rio de Janeiro, Av.
Brigadeiro Trompowski, s/nº; Cidade Universitária, Rio de Janeiro
– RJ.; FIOCRUZ – Av. Brasil 4365, Rio de Janeiro – RJ

Title of the Invention: *PHARMACEUTICAL PRODUCT AND
PRODUCTION PROCESS THEREFOR*

Number of listed sequences : 2

Seq. nr. 1

Size: 1629 base pairs

Type: cDNA

Name of the gene: AtGRP17

Function: oleosin-type protein

SEQ 1: Complete sequence of the coding region of the AtGRP17 (4940-5358) + (5545-6757)

```

          a tgagcgaaga actaagtcaa aagccatcat cagctcagtc
4981 tctgtcactg agagagggca gaaatagggt tccttttctg tccctgtcac
agagagaggg
5041 cagatTTTTT ccttctctat ctctttcaga gagagatgga agaaagTTTT
cttttctcag
5101 tatgttctct tttctcatgc cactgttgga ggttattaag attattattg
cttctgtggc
5161 ctccgtaatc ttcgtcgggt tcgcctgtgt aaccctcgct ggttctgccg
cagcattagt
5221 cgtaagcacc ccggttttca tcataatttag tctgtttctc gtaccagcta
cgatagccac
5281 ggttgtcttg gcgacaggat tcacggccgg tggctctttt ggagcgacgg
cacttggtct
5341 catcatgtgg cttgttaagt aagattatta taacagctta tattgagatc
actcgagatt
5401 tatgcttaat tatataatat tcataaacct atagtttaaa agtatattga
acttcatttg
5461 ttaacgtact ttataaatat tgaacttcgt tcgttttctt aattggtctc
taagtatata
5521 tacatacttt tttgtgtgat gcagacgtag gatgggagta aagccgaagg
ataatccacc
5581 tccggcagga cttccaccga attcgggagc aggagcagga ggagctcaaa
gtctgatcaa
5641 aaagtcaaag gcaaagtcta aagggtgggt taaggcttgg tgtaagaaga
tgttaaaaag
5701 taaattcggg ggtaaaaaag gcaagtccgg ggggtgaaaa agtaaatttg
gaggtaaagg
5761 cggtaaagtc gaaggtaag aaggatatgt gtctggggat gaaggatatgt
ctggaagtga
5821 aggaggtatg tccggagggt aaggaggtaa atccaaaagt ggaaaaggta
aactcaaagc
5881 taaactcgaa aagaaaaaag gtatgtccgg aggggtccgag agtgaagaag
gtatgtcttg
5941 aagtgaagga ggtatgtctg gtggtggagg aagtaaattc aaaagtaaaa
aaagtaaaact
6001 caaagctaaa ttgggaaaga aaaaaggatg gtccggaggc atgtcaggaa
gtgaagaagg
6061 tatgtctgga agtgaaggag gtatgtccag tgggtggagga agtaaattcca
aaagtaaaaa
6121 aagtaaaact aaagctaaat tgggaaagaa aaaagggtatg tccggaggca
gtcaggaag
```


6181 tgaagaaggt atgtctggaa gtgaaggagg tatgtccgga ggtggaggag
gtaaatccaa
6241 aagtagaaaa agtaaaactca aagctaaatt gggaaagaaa aaatgtatgt
ccggaggcat
6301 gtcaggaagt gaaggaggta tgtctggaag tgaaggaggt atatccggag
gtggtatgtc
6361 tgggggcagt ggaagtaaac acaaaattgg aggaggtaaa cacggaggtc
ttggaggtaa
6421 attcggaaaag aaaagaggca tgtccggaag tggaggaggc atgtcaggaa
gtgaaggagg
6481 tgtgtctgga agtgaaggaa gtatgtctgg aggtggtatg tctgggggta
gcggaagtaa
6541 acacaaaatt ggaggaggta aacacggagg tcttagaggt aaattcggaa
agaaaagagg
6601 tatgtcagga agtgaaggag gtatgtctgg aagtgaagga ggtatgtcgg
aaagtggat
6661 gtccgggagt ggagggggta aacacaaaat cggaggaggt aaacacaaat
ttggaggagg
6721 taaacacgga ggtggagggt gccacatggc ggagtaa

Protein sequence translated from AtGRP17

MSEELSQKPSSAQSLSLREGRNRPFLSLSQREGRFFPSLSLSE
RDGRKFSFLSMFSFLMPLLEVIKIIIASVASVIFVGFACVTLAGSAAALVVSTPVFII
FSPVLVPATIIATVVLATGFTAGGSFGATALGLIMWLVKRRMGVKPKDNPPAGLPPNS
GAGAGGAQSLIKKSKAKSKGGLKAWCKKMLKSKFGGKKGKSGGGKSKFGGKGGKSEGE
EGMSSGDEGMSGSEGGMSGGEGGKSKSGKGLKAKLEKKKMSGGSESEEGMSGSEGG
MSGGGGSKSKSKLAKLGGKKKMSGGMSGSEEGMSGSEGGMSGGGGSKSKSKSK
LKAKLGGKKKMSGGMSGSEEGMSGSEGGMSGGGGKSKSRKSLKAKLGGKKCMSSGM
SGSEGGMSGSEGGISGGMSGGSGSKHKIGGGKHGGLGGKFGKKRMSGSGGGMSGSE
GGVSGSEGSMSGGGMSGGSGSKHKIGGGKHGGLRGKFGKKRMSGSEGGMSGSEGGMS
ESGMSGSGGGKHKIGGGKHGFGGGKHGGGGHMAE

Seq. nr. 2

Size: 1658 base pairs

Type: DNA

Name of the promoter: ProAtGRP17

Function: promoter

SEQ 2: Complete sequence of the promoter region of the AtGRP17 (3371-4939)

```

3371      acaaagaaat taactatgaa acaatgcttt gtttaaatga agtaattaat
      3421 cggactata gcgtatatac atagaatgga tccaatttaa ccaaagcaac
tgtatgtgac
      3481 tatgtgaatg attcaatcgt gagacattga aattgtcgtt tctccattac
ctttttggaa
      3541 gaaaaacat cgaaagctag ctaagacttt ttttattaaa cgaacttgct
actatttcta
      3601 tgttttcttt gaaatgaaaa ttaaatttgt tactgtttca cctaaaactc
aaaagtattg
      3661 ctttttaatt ttattattaa gaaaaactaa tcttatttat gttaagaaac
ctgtcaattt
      3721 ttcattgtta atttcggctc tataattatt aattaacaat caattttctca
aaaattgcaa
      3781 tcatgattat gattagatat atattagttg gattgtgatg cattttttgt
aatataaaat
      3841 ggatgtttgt attagtttct cactcatgta attaaacacc aaatgctaga
aactagtact
      3901 tttgtttctc agctctcgtc tattgttata tctgcaacac gaacaaaaac
cttatctagg
      3961 tgttatatat cacggttatg tttatgagtt agaagggatt cttcaacaaa
aatcacggaa
      4021 ctacttgtat atatgtatgt gtgtatccga tcgaggttga cttccggggg
tggtacgtga
      4081 agaagacgaa ttcattgatt gggcttatat atgggcatgt attacttgg
tcaagtttgt
      4141 aacactttta gctttttcaa ttctattcga aaccaaataa ttgggctata
tatctttata
      4201 caaccttcaa gataaattgg accaatttta gaagagcaaa ttgaaccgg
cogtttagct
      4261 tagccaaacc ccaactcctt ttcagtacaa ttaaatacaag aatttcta
aatcgtgaa
      4321 tttctagaca tacatatcat aatttogtca aagcgagcct acacctagt
ttgagctaca
      4381 taactctttt cttttttttt ttatgattag gaggtttcaa aaccttgga
cccataattt
      4441 cttataatta gttttgtaat actaaattta ccattgagag cgacctctcg
tcactagtaa
      4501 ttcgaagatc tcatattcat gacctatatt aaccatcttc cagtcaagta
atttcaatcg
      4561 aaattcatca aaatcatata tttaacttag taatcacata tgatatggct
aatatacgta
      4621 atataacgat aaagatttct tcacgctttg atattccata aagcaatgga
aatatggaat
      4681 ggaagaaaac atttgaattt tacaagaaac aataaataga aggcctacaa
aacatgacaa
      4741 cccacacaca cacacacgaa aagagaaaat ataaagaagg acatgtaacg
tgacgtagcg
      4801 tagatctcca ttcactccaa tcgttttgca tggagcatgc atgtgtgtgt
accgtgcacg
      4861 tagtagagac cacacaactc cttcataaaa gccctctctc tcttaccatc
accaaaaacac
      4921 aacaatccga tcagaaaat

```